**EAST Search History**

**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
| L1 | 116 | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal $2 hexa adj decimal $2) with (periodic$5 pattern$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:20 |
| L2 | 2 | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal $2 hexa adj decimal $2) with (periodic$5 pattern$5) same compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:21 |
| L3 | 0 | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal $2 hexa adj decimal $2) same (periodic$5) same compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:22 |
| L4 | 2 | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal $2 hexa adj decimal $2) same (periodic$5) and compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:22 |
| L5 | 58 | @ad < "20020412" and (base adj ("8" "16") hexadecimal$2 hexa adj decimal$2) same (pattern$5 periodic$5) same compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:22 |
| L6 | 3 | @ad < "20020412" and (base adj ("8" "16") hexadecimal$2 hexa adj decimal$2) same (recur$5 near2 pattern$5 periodic$5) same compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:23 |

| L7 | 37 | @ad < "20020412" and (base adj ("8" "16") hexadecimal$2 hexa adj decimal$2) same (recur$5 near2 pattern$5 periodic$5) and compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:24 |
|----|----|----|----|----|----|----|
| L8 | 7 | @ad < "20020412" and (base adj ("8" "16") hexadecimal$2 hexa adj decimal$2) with (recur$5 near2 pattern$5 periodic$5) and compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:25 |
| L9 | 0 | @ad < "20020412" and ("709" "370"). clas. and (recur$5 near2 pattern$5 ) with compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:33 |
| L10 | 1 | @ad < "20020412" and ("709" "370"). clas. and ((period$5 recur$5) near2 pattern $5 ) same compress$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:33 |
| L11 | 15 | @ad < "20020412" and ("709" "370"). clas. and ((period$5 recur$5) near2 (pattern$5 sequen $7) ) same compress $5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:34 |
| L12 | 2 | snowboard with alarm $5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 13:53 |
| S1 | 77 | @ad < "20020412" and ("370" "709"). clas. and SNMP$2 same hierarchy$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 14:41 |

| S2 | 55 | @ad < "20020412" and ("370" "709"). clas. and SNMP$2 same hierarchy$5 and (single$2 one$2) near2 (network$5 subnetwork$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 14:42 |
| S4 | 66 | @ad < "20020412" and ("370" "709"). clas. and (SNMP$2 MIB $2) same hierarchy$5 same network | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 15:25 |
| S5 | 25 | @ad < "20020412" and ("370" "709"). clas. and (SNMP$2 MIB $2) same hierarchy$5 same network not S2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 15:25 |
| S11 | 4 | @ad < "20020412" and (SNMP$2 UDP$2) and compress$5 with period$5 with acknowledg$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 16:05 |
| S12 | 4 | S11 and (period$5 acknowledg$7) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 16:28 |
| S15 | 0 | @ad < "20020412" and compress$5 with period$5 with sequen $7 with acknowledg$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:02 |
| S16 | 630 | @ad < "20020412" and compress$5 with period$5 with sequen $7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:02 |
| S17 | 0 | @ad < "20020412" and compress$5 with period$5 with sequen $7 same (ack acknowledg$7) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:03 |

| S18 | 1 | @ad < "20020412" and decompress$5 with period$5 with sequen$7 same (ack acknowledg$7) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:05 |
|-----|---|---|---|---|---|---|
| S19 | 0 | @ad < "20020412" and compress$5 with periodic$5 with checksum$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:06 |
| S20 | 17 | @ad < "20020412" and compress$5 same periodic$5 same checksum$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:06 |
| S21 | 3 | @ad < "20020412" and compress$5 with period$5 with sequen $7 same checksum$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:09 |
| S23 | 0 | @ad < "20020412" and RTP same periodic $2 with sequence adj number$@2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:14 |
| S24 | 0 | @ad < "20020412" and RTP same periodic $2 with sequence adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:14 |
| S25 | 1 | @ad < "20020412" and RTP and periodic $2 with sequence adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:14 |
| S26 | 175 | @ad < "20020412" and compress$5 with periodic$5 with sequen $7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:16 |

| S27 | 1 | @ad < "20020412" and compress$5 with periodic$5 with sequen $7 and RTP | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:16 |
| S28 | 2 | @ad < "20020412" and compress$5 with periodic$5 with sequen $7 with packet$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:17 |
| S29 | 1 | @ad < "20020412" and compress$5 same periodic with sequen $7 with packet$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:17 |
| S30 | 140 | @ad < "20020412" and compress$5 same periodic with sequen $7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:17 |
| S31 | 2 | @ad < "20020412" and RTP and compress $5 same periodic with sequen$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:18 |
| S32 | 63 | @ad < "20020412" and RTP and periodic with sequen$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:18 |
| S33 | 1 | @ad < "20020412" and RTP and periodic with sequen$7 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:19 |
| S34 | 0 | @ad < "20020412" and RTP and periodic with SN | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:19 |

| S35 | 0 | @ad < "20020412" and RTP and periodic with packet$5 adj type $2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:20 |
| S36 | 75 | @ad < "20020412" and periodic with sequence adj number $2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:20 |
| S37 | 1 | @ad < "20020412" and (decompress$7 compress$7) same periodic with sequence adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:20 |
| S38 | 75 | @ad < "20020412" and periodic with sequence adj number $2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:21 |
| S39 | 34 | @ad < "20020412" and ("370" "709"). clas. and periodic with sequence adj number $2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:21 |
| S41 | 124 | @ad < "20020412" and compress$5 with period$5 near2 sequen $7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:23 |
| S42 | 2 | @ad < "20020412" and ("370" "709"). clas. and compress$5 with periodic$7 near2 sequen$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:24 |
| S43 | 2 | @ad < "20020412" and ("370" "709"). clas. and compress$5 same periodic$7 near2 sequen$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:25 |

| S44 | 0 | @ad < "20020412" and ("370" "709"). clas. and RTP$2 same periodic$7 near2 sequen$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:25 |
|---|---|---|---|---|---|---|
| S45 | 5 | @ad < "20020412" and ("370" "709"). clas. and periodic$7 near2 sequen$7 with (acknowledg$7 ack$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:25 |
| S46 | 25 | @ad < "20020412" and packet$5 adj type $2 with periodic$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:28 |
| S47 | 0 | @ad < "20020412" and compress$5 with periodic$5 with sequence$2 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:34 |
| S48 | 8 | @ad < "20020412" and compress$5 same periodic$5 with sequence$2 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:34 |
| S49 | 20 | @ad < "20020412" and periodic$5 with sequence$2 with bit$2 with packet$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:36 |
| S50 | 1 | @ad < "20020412" and compress$5 same periodic$5 with sequence$2 with bit$2 with packet$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:36 |
| S51 | 20 | @ad < "20020412" and periodic$5 with sequence$2 with bit$2 with packet$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:36 |

| S52 | 171 | @ad < "20020412" and periodic near5 sequence$2 near5 bit $2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:37 |
|-----|-----|------|------|-----|-----|------|
| S53 | 11 | @ad < "20020412" and periodic near5 sequence$2 near5 bit $2 and compress$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:37 |
| S54 | 35 | @ad < "20020412" and periodic near5 sequence$2 with compress$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:43 |
| S55 | 57 | @ad < "20020412" and periodic near5 (pattern$5 sequence $2) with compress$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:43 |
| S56 | 0 | @ad < "20020412" and periodic near5 (pattern$5 sequence $2) same compress$7 same (acknowledg$7 ack$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:44 |
| S57 | 13 | @ad < "20020412" and periodic near5 (pattern$5 sequence $2) same (acknowledg $7 ack$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:44 |
| S58 | 3 | @ad < "20020412" and periodic same sequence adj number $2 same compress$7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:52 |
| S59 | 33 | @ad < "20020412" and periodic with checksum$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 18:57 |

| S60 | 1 | "6882637".pn. and checksum$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 19:01 |
|-----|---|------|------|-----|-----|------|
| S61 | 2 | "6882637".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/28 19:05 |
| S62 | 15 | @ad < "20020412" and "370".clas. and (compress$5 decompress$5) same (periodic$5 repeat$5 repete$7) near2 pattern$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 10:15 |
| S64 | 33 | @ad < "20020412" and "370".clas. and RTP same (compress $5) with sequen$7 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:09 |
| S65 | 5 | @ad < "20020412" and "370".clas. and RTP same (compress $5) near5 sequen$7 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:09 |
| S67 | 14 | @ad < "20020412" and "370".clas. and RTP and (compress$5) near5 sequen$7 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:15 |
| S68 | 25 | @ad < "20020412" and "370".clas. and RTP and (compress$5) adj10 sequen$7 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:18 |
| S69 | 37 | @ad < "20020412" and "370".clas. and RTP and sequen$7 adj number$2 adj10 (compress$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:18 |

| S70 | 13 | @ad < "20020412" and RTP and sequen $7 adj number$2 adj10 (compress$5) not S69 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:27 |
| S71 | 2 | "20020083205".pn. and sequenc$5 adj number$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/01/05 11:40 |

1/5/2010 2:26:54 PM
C:\ Documents and Settings\ aoh\ My Documents\ EAST\ Workspaces\ 10511188\ 2009-12
RCE\ 10511188.wsp